

## DEKO PF

# DEMOUNTABLE SOLID PARTITION WITH DISCREET JOINTS

With both the smooth appearance of a traditional drywall and the flexibility of a demountable partition, DEKO PF uses discrete profile edged boards, secret fixed to a high performance framework to create a solution suited to meet the demands of todays fast changing workplace. The partition can be adapted to suit all types of buildings, whatever the needs and requirements.

58 dB\*

SOUND  
\*up to

EI 60\*

FIRE  
\*up to

92-144mm

THICKNESS





## PROPERTIES

- Discreet bevelled edge boards
- Quick and easy to install
- Relocatable
- Easy to incorporate doors and glazed modules
- Several types of surface
- Pre-treated, durable, wipeable surface
- Primed felt or woven textile
- Built-in skirting boards at floor level and surrounds for doors and glass
- Whiteboards, shelves and boards can be hung using plugs
- Easy to maintain
- Indoor climate certified
- CE-marked
- Fire rated
- Sound tested

SOLID PARTITIONS

# Solid, seamless and flexible partition

The solid partition can be adapted to suit all types of buildings, whatever the needs and requirements. This is a perfect choice if you want a complete partition that is prefabricated, strong and installed in a single working session.

**DURABLE SURFACE**

A range of wipeable vinyl surfaces are available, providing ease of maintenance. That means there is no need for painting.


As an alternative, we can provide the DEKO PF partition with an application of primed felt or woven textile, as on traditional drywalls.



**DOORS AND GLASS AS NEEDED**

The matching range of glass and doors makes it possible to use the same basic structure when installing doors and glass.





**SLIM ALUMINIUM PROFILES**

Slim aluminium profiles interface with ceiling, floor and adjacent walls, lending the partition an elegant finish.

**PROFILE-FREE JOINT**

Discreet, bevelled edge boards provide a demountable solution and gives the partition a clean, uniform look.

**UNIFORM STRUCTURE**

This modular profile-free partition has a structure of galvanised steel profiles, which form a base, whether you are installing gypsum, glass or doors. In combination with the rest of the structure, this provides the partition with great strength and makes it easy to incorporate the modules you want.






## TYPE SUMMARY


Product	Sound insulation (R'w)	Sound insulation (Rw)	Fire resistance (min)	Partition thickness (mm)	Weight (kg/m <sup>2</sup> )
DEKO PF 1090	39 dB	42 dB	EI 30	92	25
DEKO PF 1290	48 dB	51 dB	EI 60	118	45
DEKO PF 1490	53 dB	58 dB	EI 60	144	50

For updated values and details, please visit [deko.com](http://deko.com)


## DETAILS




CEILING CONNECTION




CEILING CONNECTION




FLOOR CONNECTION




GYPSUM / GLASS CONNECTION




GYPSUM / GYPSUM CONNECTION




GYPSUM / DEKO FG CONNECTION



T-CONNECTION



90° CORNER



DEKO TD - SOLID TIMBER DOOR